



Chicago Pneumatic



CP7759Q



- ✓ New Technology
- ✓ Comfort
- ✓ Power



Maintenance TOOLS

People. Passion. Performance.

CP7759Q

COMFORT & POWER

Inspired & Designed by you

To **develop** this tool, we involved **hundreds of mechanics** to give input as to what **features and benefits** they needed most in a 1/2" Impact wrench

LIGHTWEIGHT
Magnesium clutch housing

RUGGED TECHNOLOGY
Carbon Fiber Inlay

UNIVERSAL & DURABLE
Twin hammer mechanism

MAXIMUM CONTROL
3 power settings

EASY FORWARD/REVERSE
Side to Side Technology



COMFORT & LESS FATIGUE
Ergonomic handle in composite material

PERFECT CONTROL
Full teasing ergonomically developed trigger

Powerful

780 ft.lbs 1054 Nm
of maximum torque in reverse

FLEXIBLE
360° swivel air inlet

QUIET
Decreases fatigue of the operator

Applications

- **General maintenance** on vehicles
- **Tire changing** on light vehicles
- **Industrial maintenance and repair**

Model	Part #	Square drive	Socket retainer	Working torque		Torque Max.		Tool Weight		Tool Length		Avg. Air consumption		Min. Int. Hose Ø		Air Inlet	Vibration		Sound Level Impacting	Sound Level Free Speed	Sound Power
		in.		ft.lbs	Nm	ft.lbs	Nm	lb	Kg	in	mm	cfm	l/s	in.	mm	NPTF	m/s ²	m/s ³	db(A)	db(A)	db(A)
CP7759Q	8941077518	1/2	Friction Ring	75-460	100-630	780	1054	3.74	1.74	7.4	187	4.7	3.2	3/8	10	1/4"	α=8,1	k=1,7	93,2	84,8	104,4
CP7759Q-2	8941077519	1/2	Friction Ring	75-460	100-630	780	1054	3.97	1.85	9.45	240.4	4.7	3.2	3/8	10	1/4"	α=8,1	k=1,7	93,2	84,8	104,4



Over 110 years of experience

Since 1901 the Chicago Pneumatic name has represented high-performance tools and equipment designed for an extensive range of applications.

Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well. To learn more about our extensive range of tools, hydraulic attachments, industrial and portable compressors, accessories and workshop equipment, please visit www.cp.com.

SPARES & ACCESSORIES

TUNE-UP & REPAIR KITS

MODEL	TUNE-UP KIT	REPAIR KIT
CP7759Q	894 016 8447	10 kits available see parts list

FILTER-REGULATOR-LUBRICATORS

PART # NPT	PART# BSP	SIZE	TYPE	MAX. FLOW RATE	
				cfm	l/sec
894 016 8515	894 016 8478	1/4"	2 stage	80	37
894 016 8517	894 016 8480	1/2"	2 stage	110	50

More references available in the CP Maintenance Catalog



FRL units will improve the productivity and life of your CP impact wrench.



DIMENSIONS

MODEL		CP7759Q	CP7759Q-2
A	in.	7.4	9.45
	mm	187	240,4
B	in.	7.4	7.4
	mm	188,5	188,5
C =	in.	2.8	2.8
Ø max	mm	72,1	72,1

IMPACT SOCKET SETS

PART#	MODEL#	DESCRIPTION
Thin wall wheel protector		
894 016 4464	SS413WP	1/2" drive 3PC set sizes 17, 19, 21 mm
894 016 8375	SS414WP	1/2" drive 4PC set sizes 17, 19, 21, 22 mm
894 016 4465	SS4013	1/2" drive 13PC SAE SET
894 016 4458	SS4114	1/2" drive 14PC Metric SET



Impact sockets are laser etched for easy identification. Sets are supplied in a sturdy blow mold case.

OPERATOR ACCESSORIES

PART#	DESCRIPTION
Gloves	
894 015 8618	Impact glove size large
894 015 8619	Impact glove size X-large
Tool holder	
894 016 6664	CP9841 magnetic tool holder



Magnetic tool holder for convenient workstation organization.