

Earthquake®

POWERED CHORE EQUIPMENT

24598

Victory™

Rear Tine Rototiller CRT with Reverse

with Viper® Engine



The Earthquake® VICTORY™ rear tine rototiller delivers the ultimate combination of power and size. Rear-mounted tines till stubborn dirt easily. VICTORY™ features a powerful Viper® engine. We have engineered a compact rear tine rototiller with the same power as its larger counterparts, and with added reverse functionality.

FEATURES AND BENEFITS



EASY - Single-handed control through sod.

BALANCED - Stable and maneuverable in the row.

COMPACT - Full-sized power in a compact frame.

DURABLE - Cast iron, bronze gear drive transmission.

LARGEST-IN-CLASS WHEELS - Greater traction and flotation in tilled soil.



SPECIFICATIONS

ENGINE BRAND	VIPER®	TINE ROTATION	CRT
ENGINE MODEL	R210 EPA III	TRANSMISSION STYLE	BRONZE GEAR DRIVE
ENGINE TYPE	4-CYCLE / L-HEAD	BUMPER GUARD	NO
ENGINE TORQUE (FT-LB)	8.85 FT-LB	WHEEL DIAMETER (IN)	13
FUEL TYPE	87+ OCTANE UNLEADED GASOLINE	WHEEL WIDTH (IN)	5
STARTING SYSTEM	RECOIL	WHEEL MATERIAL	METAL HUB / RUBBER TIRE
CYLINDER CONFIGURATION	VERTICAL	LABELING	PICTOGRAM / EN, FR, SP
CYLINDER MATERIAL	ALUMINUM	MODEL BRAND	EARTHQUAKE
FLYWHEEL	CAST ALUMINUM	EXCLUDED STATES	NONE
FUEL CAPACITY (GAL)	0.9	ILLUSTRATED PARTS LIST	MANUAL, ONLINE
DISPLACEMENT (CC)	212	MANUAL LANGUAGE	ENGLISH / SPANISH / FRENCH
FUEL TANK	METAL	ASSEMBLED DIMENSIONS (IN)	57.2 X 20.9 X 43.7
THROTTLE CONTROL	ON ENGINE	PACKAGED DIMENSIONS (IN)	41.5 X 17.7 X 23.2
COMPRESSION RELIEF VALVE	NO	NET WEIGHT (LB)	146
MUFFLER GUARD	NO	GROSS WEIGHT (LB)	156
ON/OFF SWITCH	HIGH PROFILE	CARTON STYLE	BLACK STENCIL ON BROWN BOX
RECOMMENDED OIL / CAPACITY (FL OZ)	SAE-30 / 16 OZ	PALLET QTY	9 UNITS
LOW OIL SHUTDOWN	NO	40' HC CONTAINER QTY	220 UNITS
SPARK PLUG	NGK BP6ES	UPC CODE	012642 004339
CERTIFICATIONS	EPA III, CARB	WARRANTY	TILLER 5 YEAR, ENGINE 5 YEAR
ANSI B71.8-1996	YES		
HANDLEBAR STYLE	LOOP		
MULTIPLE HEIGHT POSITIONS	3		
OPERATION	ONE- OR TWO-HANDED		
SELF PROPELLED	YES		
TILLING DEPTH (IN)	10		
TILLING WIDTH (IN)	16		
TINE MATERIAL	WELDED FORGED STEEL		
TINE THICKNESS (IN)	0.21		
TINE SPEED (RPM)	216		
NUMBER OF SPEEDS	2, FORWARD/REVERSE		



All weights, specifications and features are approximate and are subject to change without notice. Due to continuous product improvements, product images may not be exact. Warning labels in some product images may have been removed for photography purposes only. Props shown in photos not included. Some assembly may be required.




Ardisam is an American company based in the heart of the Midwest, where the Seasons help shape the character of who we are and the products we build. Because we believe in and use the many products we design, we are uniquely qualified to deliver genuine innovation and service that are born of the outdoor rural lifestyle in which we live. Spring, Summer, Winter, or Fall, we are always prepared to serve the needs of our customers through the best designed products on the market, as well as through our world class customer service. Since 1960, Ardisam has built its legacy on the tradition of providing countless customers with exceptional service and value through its many brands that span all Seasons and stand the test of time.

24598


Victory™

**Rear Tine Rototiller
CRT with Reverse**


with Viper® Engine




Top




Angle




Right




Front



Left



Back



Bottom