


FS730V-EFI / 25.5 HP



ENGINE TYPE	Forced Air-Cooled V-twin 4-cycle Vertical Shaft OHV Gasoline Engine
Number of Cylinders	2
Bore x Stroke	3.1 x 3.0 in. (78 x 76mm)
Displacement	726cc (44.3 cu. in.)
Compression Ratio	8.2:1
Maximum Power	25.5hp (19.0kW) / 3600 rpm
Maximum Torque	40.0 ft. lbs. (54.2 N•m) / 2400 rpm
Oil Capacity	2.2 U.S. qt. (2.1 liter) w/Filter
Dry Weight (without muffler)	91.5 lbs. (41.5kg)




- 90° V-twin
- Pressurized lubrication system
- Electronic ignition with spark advancement
- Automatic compression release
- Multi-port electronic fuel injection
- Electronic governor control
- Compact electronic control unit
- Choke-free operation
- Electronic colder operation enrichment
- Electronic altitude compensation
- High pressure fuel injection technology with electronic fuel pump
- Cast-iron cylinder liners



ENGINE TYPE	Forced Air-Cooled V-twin 4-cycle Vertical Shaft OHV Gasoline Engine
Number of Cylinders	2
Bore x Stroke	3.1 x 3.0 in. (78 x 76mm)
Displacement	726cc (44.3 cu. in.)
Compression Ratio	8.2:1
Maximum Power	24.0hp (17.9kW) / 3600 rpm
Maximum Torque	40.0 ft. lbs. (54.2 N•m) / 2400 rpm
Oil Capacity	2.2 U.S. qt. (2.1 liter) w/Filter
Dry Weight (without muffler)	91.5 lbs. (41.5kg)

- 90° V-twin
- Pressurized lubrication system
- Electronic spark ignition
- Automatic compression release
- Dual element air filter
- Cast-iron cylinder liners
- Rotating metal grass chopper screen



FS730V / 24.0 HP

