



# Safety Data Sheet According to Hazard Communication Standard (29 CFR 1910.1200)

LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 1 of 8

# **Centre Testing International Group**

# SDS

Report Number: A2220241800101002

Applicant: CHONGQING GENFU SOFTWARE DEVELOPMENT

CO., LTD

Address: No.9 workshop, No.8 Xinhua road, Pulv Street, Tongliang

District, Chongqing, China

Sample Name: LITHIUM INVERTER GENERATOR 100594



Date

Jun. 24, 2022

No. RB26A1D95A

Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China

# According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 2 of 8

# 1. Product and Company Identification

Material name

LITHIUM INVERTER GENERATOR 100594

CAS#

See section 3

Product code

Not classified

Product use

Outdoor power supply.

Manufacturer/Supplier

Supplier(Manufacturer):

Chongqing Genfu software development Co., Ltd

Address:

No.9 workshop, No.8 Xinhua road, Pulv Street, Tongliang

District, Chongqing, China

Contact person(E-mail):

liuqingwei@cqlh.com.cn

Telephone:

+86-023-65200367

Fax:

**Emergency telephone Number:** 

+86-18875103673

#### 2. Hazards identification

## **GHS** classification

Skin allergy (Category 1)

Carcinogenicity (Category 2)

Specific target organ System toxicity - Repeated exposure (Category 1)

#### **GHS** label elements

**Hazard Pictograms** 





Signal word

Dangerous

Hazard statement

H317 may cause allergic skin reactions

H351 is suspected of causing cancer

H372 Prolonged or repeated exposure to damages organs

# According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 3 of 8

# **Precautionary statement**

Prevention: P203 Read and follow all safety instructions before use

P260 Do not inhale dust/smoke/gas/smoke/steam/spray

P264 thoroughly wash all exposed bodies after operation

P270 Do not eat, drink or smoke while using this product

P272 Contaminated work clothes shall not be taken out of the workplace

P280 Wear protective gloves/clothing/eye mask/mask

# Response:

P302+P352 If skin is contaminated: Wash with plenty of soap and running water

P333+P317 If skin irritation or rash occurs: Seek medical help

P362+P364 Remove contaminated clothing and wash before reuse

Storage: P405 Storage must be locked

Disposal: P501 Dispose of contents/containers in accordance with local/regional/national/

international regulations

# 3. Composition / Information on Ingredients

Components	CAS#	Percent(%)
Lithium transition metal oxide	182442-95-1	13.22
Carbon (graphite)	7782-42-5	7.61
Aluminum	7429-90-5	21.01
Copper	7440-50-8	17.64
Iron	7439-89-6	19.63
Ethylene carbonate	96-49-1	2.16
Ethyl Methyl Carbonate	623-53-0	0.89
Dimethyl carbonate	616-38-6	0.63
Lithium hexafluorophosphate	21324-40-3	0.37
Polycarbonate/acrylonitrile-		
butadiene-styrene copolymers and	25971-63-5	16.08
mixtures		
NBR	68891-50-9	0.76



### According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 4 of 8

#### 4. First Aid Measures

#### First aid procedures

Eye contact: Remove contact lenses at once. Immediately flush eyes with large quantities of water for at least 15 minutes. Get medical attention.

Skin contact: If contact with molten product occurs, threat as thermal burn. Do not try to peal molten polymer from the skin. Get medical attention promptly.

Inhalation: Not likely to be inhaled due to physical form. For processing fume inhalation irritation, leave contaminated area and breathe fresh air. If coughing, difficult breathing or any other symptoms developing. Get medical attention.

Ingestion: Not a likely route of exposure. If person is conscious, give large amounts of water to drink, in-duce vomiting. Get medical attention.

Notes to physician

Treat symptoms.

5. Fire Fighting Measure

Flammable properties

Flammable

**Extinguishing media** 

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Not available.

### Firefighting equipment/instructions:

Use water spray to cool unopened containers. Wear self contained breathing apparatus for firefighting if necessary.

# Hazardous combustion products:

Combustion products may include intense heat and high levels of black smoke containing car-bon monoxide, carbon dioxide. Formation of traces of aliphatic and aromatic hydrocarbons, aldehyde, acids, phenol and phenol derivatives may occur.

# 6. Accidental Release Measures

Personal precautions: Use personal protective equipment. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of dust accumulating to form explosive concentrations. Dust can accumulate in low areas.

Environmental precautions: Should not be released into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up: Sweep up and shovel. Keep in suitable, closed containers for disposal.





# According to Hazard Communication Standard (29 CFR 1910.1200)

LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 5 of 8

# 7. Handling and Storage

#### Handling

Avoid contact with skin and eyes. Avoid inhalation of dust. Keep away from sources of ignition -No smoking. Take measures to prevent the build up of electrostatic charge.

Storage: Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

# 8. Exposure Controls / Personal Protection

# **VENTILATION:**

A continuous supply of fresh air to the workplace together with removal processing fumes through exhaust systems is recommended. Processing fumes may contain small amounts of carbon dioxide, diphenyl-carbonate, phenol and substituted phenols. Ventilation requirements must be locally determined to limit.

# 9. Physical & Chemical Properties

A				
AI	m	ear	an	ce

Physical state Solid Form Solid Color Yellow, Black Odor Odorless Odor threshold Not available pH Not available Vapor pressure Not available Vapor density Not available **Softening Point** Not available **Boiling** point Not available Melting point/Freezing point Not available Solubility (water) Insoluble Specific gravity Not available Density Not available Flash point Not available Flammability limits in air, upper, %by volume Not available Flammability limits in air, lower, % by volume Not available Auto-ignition temperature Not available

VOC

Not available





# According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 6 of 8

Percent volatile

**Explosive** Not available **Flammability** Not available

Other data

Viscosity Not available

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal

conditions.

Not available

Conditions to avoid Incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Carbon oxides.

Possibility of hazardous reactions No dangerous reactions known.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity: Iron LD50:7500mg/kg (Through the mouth of rats)

Skin corrosion/Irritation: Not classified

Serious eye damage/irritation: Not classified

Respiratory or skin sensitization: May cause allergy or asthma symptoms or breathing

difficulties if inhaled

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

STOT- single exposure: Not classified

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified



# CTI华测检测

# Safety Data Sheet

#### According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 7 of 8

12. Ecological Information

Toxicity:

Not available.

Persistence and degradability:

Not available.

Bioaccumulative potential:

Not available.

Mobility in soil:

Not available.

Results of PBT&vPvB assessment:

Not available.

Other adverse effects:

Harmful to aquatic life with long lasting effects

13. Disposal Considerations

**Disposal instructions:** 

Dispose of contents/container in accordance with local/regional/national/international regulations.

Contaminated packaging:

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number

UN 3480

Proper shipping name

Not regulated

Hazard class

Not regulated

Packing group

 $\Pi$ 

**Environmental hazards** 

No

IATA

**UN number** 

UN 3480

UN proper shipping name

Not regulated

Transport hazard class(es)

Not regulated

Packing group

II No

**Environmental hazards** 

No

**IMDG** 

**UN** number

Packing group

UN 3480

UN proper shipping name

Not regulated

Transport hazard class(es)

Not regulated

**Environmental hazards** 

No



#### According to Hazard Communication Standard (29 CFR 1910.1200)

#### LITHIUM INVERTER GENERATOR 100594

Version 1.0

Issue date: 22/6/2022

Revision date: 22/6/2022

Report No.

A2220241800101002

Page 8 of 8

# 15. Regulatory Information

This product complies with the Chemical Substance Inventory requirements of the U.S.A. EPA Toxic Substance Control Act (TSCA).

#### 16. Other Information

**HMIS®ratings** 

Health:0

Flammability: 0

Physical hazard: 0

NFPA ratings

Health: 0

Flammability: 0

Instability: 0

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. The information of section 3 and section 9 is provided by: Chongqing Genfu software development Co., Ltd. Other

information is from authoritative database and expert

assessment

(010-125926).

Issue date

22-6-2022

# \*\*\*End of File\*\*\*

- 1. This file is considered invalidated without the Special Seal for Inspection of CTI.
- 2. This file shall not be altered, increased or deleted.
- 3. Without written approval of CTI, this file shall not be copied partly or published as advertisement.
- 4. The file and the data must not be used in legal affairs, according to the agreement with CTI and the Applicant.

