

HYDRO TWISTER® SURFACE CLEANERS



Hydro Twisters® are industrial flat-surface cleaners that connect to a pressure washer and use a spray bar rotating at a high speed just above the ground to clean concrete more consistently and faster than an operator with a wand, with less fatigue. A surface cleaner uses much less water than a hose wash down. Hydro Twister surface cleaners can be used with cold water or up to 250°F hot water, on some models, for extra stubborn grease or grime, eliminating the need for soap pretreatment in most applications.

The Hydro Twister® Advantage... Low Profile Deck: Will fit under benches & machinery, Less Fatigue: Handle is mounted at an ideal working angle, rustproof, stainless deck & handle, heavy duty for daily use, Brush guard to reduce splash on building windows and operator.

Hydro Twister® suggested applications: Driveways, drive-thrus, patios, garages, concrete sidewalks & parking lots, school yards, factory & warehouse, restroom floors, food processing floors, service stations, pool decks, sport courts, roofs & decks, loading docks, tile flooring, stadiums, marina docks, mold, moss & mildew removal.

INDUSTRIAL



USE WITH
COLD OR
HOT
WATER

The **TRIDENT HYDRO TWISTER®** cleans more square footage than others in their class. The proprietary aluminum spray arm with compound angled nozzles not only clean up to the edge but also push water aside to create more impact on the surface they clean. All stainless, rustproof deck and handle construction will keep your surface cleaner working and looking great for years.

TRIDENT HYDRO TWISTER®

3 Casters with Wishbone Handle

The caster version with three non-marking casters that allow the operator to freely move side to side or forward. Handle is free floating and folds for storage. The high pressure hose is protected inside the stainless handle tubing, ready for you to connect the pressure washer trigger gun.

MODEL	PSI	GPM	DECK	NOZZLES*	TEMP	WT	LIST
ANT24	3000-5000	3 - 6	24"	(2) 2.7	210°F	33	\$1,281.37
ANT28**	4000	5.5 - 10	28"	(2) ea. #1 & #2	250°F	45	\$1,797.25

*NOTE: Nozzles -15° **28" deck, high flow swivel, 4 nozzle spray bar with optimized thrust angle, 3 casters.

1 Caster & 2 Airless Rear Tires with Hoop Handle

A front non-marking caster paired with two large, airless tires reduce fatigue when working in straight lines. Dial up or down the pressure as needed from the hoop handle which folds down for carrying or storage.

ANT25	3000-4000	3 - 6	24"	(2) 2.7	210°F	43	\$1,506.81
ANT29**	4000	5.5 - 10	28"	(2) ea. #1 & #2	250°F	53	\$2,005.73

*NOTE: Nozzles -15° **28" deck, high flow swivel, 4 nozzle spray bar with optimized thrust angle, two airless rear wheels with hoop handle.

MADE IN THE USA

**1 YEAR
WARRANTY**




**READY TO
WORK!**



HYDRO TWISTER® SURFACE CLEANERS



The Contractor Hydro Twister® is the proven choice for professional surface cleaning...with four tools for your cleaning needs. The Contractor Twister combines a rotary surface cleaner, spot / gum remover, hydro broom, and an edger to create an **all-in-one deluxe surface cleaner**. The dual trigger guns activate either the rotary spray arm or one of the other three on-board tools. By combining four processes into one unit, you will save time and fatigue when cleaning large expanses of concrete, parking lots or other flat surfaces. The secret that makes the Contractor Hydro Twister® so effective is the ideal water spray angles and nozzle heights that optimize cleaning power.



An onboard edging tool cleans close to planters, columns, and walls or use the water broom to rinse a large area.



Caster pivot lock allows the operator to choose to lock casters for use in straight lines or unlock for cleaning side-to-side.




The under-deck spot remover uses a "six-shooter" nozzle to blast away gum or paint.

READY TO WORK!

INDUSTRIAL

1 YEAR WARRANTY

ANT4C



CONTRACTOR HYDRO TWISTER®

4 Casters with Wishbone Handle and Dual Guns

MODEL	PSI	GPM	DECK	NOZZLES*	TEMP	WT	LIST
ANT4C	4000	5.5 - 10	28"	(2)ea. #1 & #2	250°F	57	\$2,415.50

NOTE: Nozzles - 15°



NOTE: Weights shown are for units only, not packaged shipping weights.

HYDRO TWISTER® SURFACE CLEANERS



The Contractor Roof Cleaner Hydro Twister® Need to clean a dirty roof? Attach this **Roof Cleaner** to a hot or cold pressure washer to remove algae, mildew, and dirt streaks from a roof. Constructed of rust resistant stainless steel with an aluminum spray bar to ensure a long life of use, even in corrosive environments.



CONTRACTOR ROOF CLEANER HYDRO TWISTER®

4 Adjustable Casters

Includes a pressure reduction valve, pressure gauge, non-marking wheels, and a ball valve to shut off water. Wheel width and height are adjustable, without tools, for maximum impact on a variety of roof styles.

MODEL	PSI	GPM	DECK	NOZZLES*	TEMP	WT	LIST
ANTR1	3000-4000	3 - 6	24"	(2) 2.7	175°F	33	\$2,155.26

*NOTE: Nozzles -15°

READY TO WORK!



Pressure adjustment with gauge and water supply on/off ball valve on deck.



Use pop pins to adjust height of deck, no tools needed.



Slide wheels in or out to adjust width for different roof styles.

INDUSTRIAL



The Water Recovery Hydro Twister® Vac The Twister Vac is a unique rotary surface cleaner with wash water recovery capability. Imagine how efficient you will clean without the hassle of having to do a final rinse or containing wastewater runoff. Using a Twister Vac with your existing hot water mobile wash skid, you will be able to clean flat surfaces up to 20,000 sq. ft. per hour, plus recover your wash water all in one simple step when you connect to a Hydro Vacuum® recovery system.

WATER RECOVERY HYDRO TWISTER®

4 Casters with Wishbone Handle

Stainless construction, 30" deck with brush splash guard. Requires minimum 100cfm/ 91" lift vacuum source, 2" vacuum hose, and a pressure washer. Suitable for use on greasy factory floors, concrete parking lots and drive-thru areas, gas stations and garages

MODEL	PSI	GPM	DECK	NOZZLES*	TEMP	WT	LIST
ANTV5	3000-4000	4.8 - 5.5	30"	(2) 2.7	200°F	54	\$3,738.28

NOTE: 22" Cleaning Path, 6 GPM max flow w/ larger nozzles, requires 2" vacuum hose, pressure washer, and water recovery vacuum. *Nozzles -15°



ANTV5

1 YEAR WARRANTY

MADE IN THE USA