

10 Gallon HONDA Powered Chopper with H4X High Flow/High Pressure Remote Air Hub

FEATURES & BENEFITS:

- Reliable HONDA GX160 OHV gas engine
- Long lasting twin cylinder pump combines aluminum pump body & cooling fins with cast iron cylinders to reduce heat, maximize CFM, and extend pump life
 - Runs cooler
 - Dissipates heat faster
 - Lasts longer
- Includes Solberg air intake filter for improved filtration and sound dampening
- Unique 10 gallon “Chopper” tank design
 - Side by side pump/engine placement for much better balance
 - Low profile easily fits under Tonneau cover
- Front roll cage bar protection for pump and engine
 - Roll cage bar can also be used as lift handle
- Extra large center tire easily moves over rough terrain
 - Bull bar protects wheel
- Liquid filled tank pressure gauge provides a more accurate pressure reading
- Easy access belt tightener allows for quick belt adjustment
- Supported by our Toll Free Customer Help Line

MODEL SPECIFICATIONS

Tank Size:	10 Gallon
Maximum Pressure:	155 PSI
CFM @ 40 PSI:	11.6
CFM @ 90 PSI:	9.9
Engine CC:	163
Engine Type:	HONDA OHV
Warranty:	2 Year Limited



POWERED by
HONDA



10 Gallon HONDA Powered Chopper with H4X High Flow/High Pressure Remote Air Hub

FEATURES CONTINUED:

- Designed with, and includes, an H4X high flow / high pressure Remote Air Hub which provides
 - Four (4) 1/4" air outlet ports
 - One (1) 1/2" air outlet port
 - One (1) 1/2" air inlet
 - One (1) 1/2" pre-installed connector/plug on the air inlet port
 - Two (2) holes for mounting to roof
- The H4X Remote Air Hub is also equipped with
 - Two (2) 1/4" high flow regulators which are more accurate and efficient than conventional style regulators
 - Two (2) working pressure gauges
 - Two (2) 1/4" push-to-connect quick couplers
- Convenient 'docking station' allows the H4X manifold to be used while on the compressor as a base station
- 'Docking station' also provides on-unit storage with simple quick coupler/connector attachment into position
- Equipped with an additional 1/2" port on docking station giving you the option to add an additional 1/2" air line



Allows Independent Regulation to Accommodate Four (4) Lines !



Use of the recommended 1/2" diameter air hose from compressor to Remote Air Hub, and regulating the air at the Air Hub rather than on the compressor, allows nail guns to recover four times faster than conventional hook-ups

10 Gallon HONDA Powered Chopper with H4X High Flow/High Pressure Remote Air Hub



Durable Cast Iron Pump



Solberg Air Intake Filter



Oil Level Sight Glass



Dependable Honda Engine



6" x 11" Large Center Tire



Easy Access Belt Tightener

10 Gallon HONDA Powered Chopper with H4X High Flow/High Pressure Remote Air Hub



The Most Well-Balanced Wheelbarrow You Will Ever Find !
With an oversized large center-mount wheel, and the pump/engine side by side you no longer fight to hold the wheelbarrow steady.
Rolls & turns smooth as can be !

