


ENGINE TYPE	Forced Air-Cooled V-twin 4-cycle Vertical Shaft OHV Gasoline Engine
Number of Cylinders	2
Bore x Stroke	3.1 x 3.0 in. (78 x 76mm)
Displacement	726cc (44.3 cu. in.)
Compression Ratio	8.2:1
Maximum Power	22.0hp (16.4kW) / 3600 rpm
Maximum Torque	39.4 ft. lbs. (53.3 N•m) / 2000 rpm
Oil Capacity	2.2 U.S. qt. (2.1 liter) w/Filter
Dry Weight (without muffler)	91.5 lbs. (41.5kg)

- 90° V-twin
- Pressurized lubrication system
- Electronic spark ignition
- Automatic compression release
- Dual element air filter
- Cast-iron cylinder liners
- Rotating metal grass chopper screen



FS651V / 22.0 HP



FS691V / 23.0 HP



ENGINE TYPE	Forced Air-Cooled V-twin 4-cycle Vertical Shaft OHV Gasoline Engine
Number of Cylinders	2
Bore x Stroke	3.1 x 3.0 in. (78 x 76mm)
Displacement	726cc (44.3 cu. in.)
Compression Ratio	8.2:1
Maximum Power	23.0hp (17.2kW) / 3600 rpm
Maximum Torque	39.9 ft. lbs. (54.1 N•m) / 2200 rpm
Oil Capacity	2.2 U.S. qt. (2.1 liter) w/Filter
Dry Weight (without muffler)	91.5 lbs. (41.5kg)

- 90° V-twin
- Pressurized lubrication system
- Electronic spark ignition
- Automatic compression release
- Dual element air filter
- Cast-iron cylinder liners
- Rotating metal grass chopper screen

