

---

**Concrete Mounting Pads**

---

---



RCA mounting pads are similar to this illustration.

### Applicable Models




- 10RESV/RESVL
- 12RESV/RESVL
- 14RCA/RCAL
- 14RESA/RESAL
- 20RCA/RCAL
- 20RESA/RESAL
- 20RESC/RESCL
- 26RCA/RCAL

### Description


Concrete mounting pads allow easy installation of the Kohler® residential generator models listed above. Mounting pads are available in 3 inch and 4 inch thicknesses. The 4-inch hurricane pad has a wind rating of 175 mph and is recommended for storm-prone areas.

- Fiber-reinforced concrete pad with rebar.
- Impact resistant.
- Flat bottom facilitates mounting and leveling of the generator and prevents the generator from sinking into the ground.
- Pad is sized and contoured for the generator models listed above.
- 3/8- 16 threaded inserts are located at the generator mounting hole positions for easy installation.
- Pad contains 25% recycled materials.

# Mounting Pad Dimensions



# Mounting Pad Dimensions





KOHLER CO., Kohler, Wisconsin 53044 USA  
 Phone 920-457-4441, Fax 920-459-1646  
 For the nearest sales and service outlet in the  
 US and Canada, phone 1-800-544-2444  
 KOHLERPower.com

## Specifications

Model	Kit Number	Wind Rating, mph	Mounting Pad Dimensions (L x W x H)	Mounting Pad Thickness	Weight, each	Shipping Weight, 5 pads with pallet
10/12RESV(L)	GM92228-KP1-QS	NA	940 x 864 x 76 mm (37 x 34 x 3 in.)	76 mm (3 in.)	61 kg (135 lbs.)	352 kg (775 lbs.)
	GM92228-KP2-QS	175	945 x 869 x 102 mm (37.2 x 34.2 x 4 in.)	102 mm (4 in.)	84 kg (185 lbs.)	465 kg (1025 lbs.)
14/20RESA(L) 20RESC(L)	GM90969-KP1-QS	NA	1394 x 810 x 76 mm (54.9 x 31.9 x 3 in.)	76 mm (3 in.)	86 kg (190 lbs.)	476 kg (1050 lbs.)
	GM90969-KP2-QS	175	1400 x 815 x 102 mm (55 x 32 x 4 in.)	102 mm (4 in.)	125 kg (275 lbs.)	669 kg (1475 lbs.)
14/20/26RCA(L)	GM104820-KP1-QS	NA	1334 x 800 x 76 mm (52.5 x 31.5 x 3 in.)	76 mm (3 in.)	86 kg (189 lbs.)	476 kg (1050 lbs.)
	GM104820-KP2-QS	175	1340 x 805 x 102 mm (52.8 x 31.7 x 4 in.)	102 mm (4 in.)	125 kg (275 lbs.)	669 kg (1475 lbs.)

Notes: Pads are sold in quantities of 5.  
 Mounting pads for 14/20/26RCA(L) models are stamped "RCA" for identification.

**DISTRIBUTED BY:**

Availability is subject to change without notice. Kohler Co. reserves the right to change the design or specifications without notice and without any obligation or liability whatsoever. Contact your local Kohler® generator distributor for availability.

© 2014 Kohler Co. All rights reserved.