

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 19-Feb-2020 Revision Date 19-Feb-2020 Revision Number 1

### 1. Identification

Product identifier

Product Name Kohler PRO SAE 10W-50 Extended Life Synthetic Engine Oil

Other means of identification

**Product Code(s)** 2535772, 2635773, 2635774, 2735775, 2735772, 28735773, 2835772, 2935773

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Oil

**Restrictions on use**Avoid formation of mists.

Details of the supplier of the safety data sheet

#### Manufactured for:

Kohler 444 Highland Drive Kohler, WI 53044

### Emergency telephone number

Emergency Telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

### 2. Hazard(s) identification

#### Classification

Not classified.

Label elements

#### **Hazard statements**

Not classified.

#### Other information

No information available.

# 3. Composition/information on ingredients

### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	1-<2.5%	-	-

### 4. First-aid measures

### **Description of first aid measures**

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** May cause gastrointestinal discomfort if consumed in large amounts. May cause temporary

eve irritation.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. Fire-fighting measures

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or alcohol-resistant foam. Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision Date: 19-Feb-2020

gear. Use personal protection equipment.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Do not handle until all safety precautions have been read and understood. Ensure

adequate ventilation. Use personal protective equipment as required.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent materials or runoff from entering drains, sewers, streams, ground water or bodies

of water.

**Methods for cleaning up**Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

**Reference to other sections** For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

### 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling

Avoid contact with used product. Handle in accordance with good industrial hygiene and

safety practice. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse. Wash thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Do not reuse empty containers. Store away from incompatible materials. See section 10 for

more information. Keep containers tightly closed in a cool, well-ventilated place.

### 8. Exposure controls/personal protection

### Control parameters

Exposure Limits The following constituents are the only constituents of the product which have a PEL, TLV

or other recommended exposure limit. At this time, the other constituents have no known

\_\_\_\_\_

exposure limits. Under conditions which may generate mists, the following exposure limits are recommended:. Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure limit (15-minute): 10 mg/m³.

Revision Date: 19-Feb-2020

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact:. Wear suitable gloves. Ensure that the breakthrough time of the

glove material is not exceeded. Refer to glove supplier for information on breakthrough time

for specific gloves.

**Skin and body protection** If there is a risk of contact:. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance

Physical state Liquid Color amber

Odor Mild Hydrocarbon-like
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point 230 °C / 446 °F Cleveland Open Cup ASTM D 92

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.8565

Water solubility
No data available
None known
Solubility(ies)
No data available
None known
Partition coefficient
No data available
None known
Autoignition temperature
No data available
None known
No data available
None known
No data available
None known

Kohler PRO SAE 10W-50 Extended Life Synthetic Engine Oil

. . .

Kinematic viscosity 113.3 @ 40°C ASTM D445

16.9 @ 100°C cSt

No information available

**Dynamic viscosity** No data available None known

Other information

**Bulk density** 

**Explosive properties** No information available. **Oxidizing properties** No information available. Softening point No information available **Pour Point** -37°C [ASTM D92] **Fire Point** 250°C (COC)[ASTM D 92] No information available Molecular weight No information available **VOC Content (%) Liquid Density** No information available

### 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors: Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause temporary eye irritation.

**Acute toxicity** 

**Numerical measures of toxicity** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzenamine, N-phenyl-, reaction	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
products with 2,4,4-trimethylpentene			

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)			
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion		
Species	Rabbit		
Exposure route	Dermal		
Effective dose	0.5 mL		
Exposure time	4 hours		
Results	Mild skin irritant		

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

Component Information				
Benzenamine, N-phenyl-, reaction proc	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)			
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion			
Species	Rabbit			
Exposure route	Eye			
Effective dose	0.1 mL			
Results	non-irritant			

**Respiratory or skin sensitization** Based on available data, the classification criteria are not met.

Product Information			
Method	OECD Test No. 406: Skin Sensitization		
Species	Guinea pig		
Exposure route	Dermal		
Results	Not a skin sensitizer		

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure**Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Not applicable.

# 12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	EC50: 51mg/L (48h, Daphnia magna)	LC50: >100mg/L (96h, Danio rerio)	-	-
68411-46-1				

Persistence and degradability No information available.

Revision Date: 19-Feb-2020

**Bioaccumulation** No information available.

Chemical name	Partition coefficient
Benzenamine, N-phenyl-, reaction products with	6.66
2,4,4-trimethylpentene	
68411-46-1	

Mobility in soil No information available.

Other adverse effects No information available.

## 13. Disposal considerations

### Waste treatment methods

products

Waste from residues/unused

Recover or recycle if possible. Dispose of waste in accordance with environmental

legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

**US EPA Waste Number** No information available.

# 14. Transport information

DOT Not regulated

TDG Not regulated

Not regulated IATA

<u>IMDG</u> Not regulated

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

**TSCA** All components are listed on the TSCA Inventory.

DSL/NDSL Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Page 7 / 9

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

#### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphorodithioic acid,	X	-	X
O,O-di-C1-14-alkyl esters, zinc			
salts			
68649-42-3			
Diphenylamine	X	X	X
122-39-4			
Hydrogenated base oil	-	X	-
64742-56-9			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average)

STEL STEL (Short Term Exposure Limit) Maximum limit value Skin designation

Ceiling

### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 19-Feb-2020

Revision Date 19-Feb-2020

Revision Note Initial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**