36V (18V X2) LXT® 21" SELF-PROPELLED LAWN MOWER KIT WITH 4 BATTERIES (5.0Ah)



PRODUCT HIGHLIGHTS



VERSATILITY

Self-propelled with variable speed (1.5 MPH - 3 MPH)



CONVENIENCE

Single lever quickly adjusts cutting height (1-1/4" - 4")



COMPACT

Folding handle for compact upright storage



DESIGN

3-in-1 design allows for mulching, bagging or rear discharge





FEATURES

- No gas, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Powerful motor delivers 3,000 RPM for faster cutting
- Delivers up to 40 minutes of run time with four LXT® 5.0Ah batteries
- Rear-wheel drive self-propelled technology for improved traction and performance on incline slopes and uneven terrain
- Ergonomic plastic deck weighs less for reduced required push force and easier transport
- Maximum grip tires for improved performance on damp grass or uneven terrain
- Ball bearings in wheels provide a smoother drive with better maneuverability and increased durability
- · Grass catcher bag holds up to 2 bushels of grass

CDECIEICATIONS

Rubberized soft grip handlebar for added comfort

SPECIFICATIONS	
Cutting Height Range	1-1/4" - 4"
Bag Capacity(Bushels)	
Battery	2X 18V LXT® Lithium-Ion
Dimensions (LxWxH)	71-1/2" x 73-1/2" x 47-1/2"
Net Weight (with battery)	62.5 lbs.
Net Weight (without battery)	59.7 lbs.
Cutting Width	
Deck Width	22"
Form Factor (LXT)	X2
Max. no load speed	3,000 RPM
Motor Type	Brushed
Power Type	Cordless
Shipping Weight	87.76 lbs.
UPC Code	088381-756839

STANDARD EQUIPMENT

- (4) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B)
- 18V LXT® Lithium-Ion Dual Port Charger (DC18SH)
- 21" Lawn Mower Blade (191V96-5)
- Grass Catcher Bag (162A26-7)
- Mulching Plug (413945-7)

RELATED PRODUCTS

- 1. 18V LXT® Brushless Blower Kit (XBU03SM1)
- 2. 18V LXT® Brushless 13" String Trimmer Kit (XRU23SM1)
- 3. 18V LXT® Brushless 24" Hedge Trimmer Kit (XHU07T)
- 4. 36V (18V X2) LXT® Brushless Couple Shaft Power Head with Trimmer Attachment (XUX01ZM5)
- 5. 18V LXT® Brushless 12" Top Handle Chain Saw (XCU10Z)

