



Pressure-Pro[®] 

— * * * —
EAGLE II



**READY TO
WORK AS HARD
AS YOU DO**



A LEGACY OF EXCELLENCE

Built to stand up to the toughest jobs, the dependable Eagle Series has been trusted for decades by cleaning professionals. The Eagle II Series offers even more features to take your cleaning performance to the next level, with greater productivity, smarter operation, and increased durability.

- Oversized, airless tires never go flat, so your equipment is ready to work when you are
- Extra-strength axle protects machine from damage during loading and unloading, protecting maneuverability and value over machine lifetime
- Updated plumbing configuration for easier access to both inlet and outlet water supply
- Grey hose with industrial quick-connect fittings; leaves no markings on clean ground

Built to withstand everything from light- to heavy-duty use, with a host of configurations and accessories for specialized tasks, the American-made EAGLE II Series is ideal for a variety of applications, including:



AGRICULTURE

- Cleaning of vehicles/equipment
- Cleaning of buildings/installations
- Sanitation of pens/stalls/stables



AUTOMOTIVE / TRANSPORTATION

- Cleaning of vehicles/equipment
- Fleet Washing
- Cleaning bus depots, train stations, and airports



EXTERIOR CLEANING

- Surfaces/facades, including roofs and siding
- Driveways
- Patios/fences
- Paint preparation

The EAGLE II Series includes a range of accessories designed to make short work of the biggest jobs.

Industrial-duty Honda/Kohler engines with Triplex plunger pumps, and external unloaders with extended bypass loop for heavy-duty use

Dash panel with integrated gun, wand, and nozzle storage allows quick, easy access to all accessories

★ **Ergonomic Design for easy portability**, with ideal handle height and balance point

High-grade aluminum frame with weld-free design eliminates breakable welds and weak points

Extra-strong, cold-rolled, hardened steel axle does not bend or break due to incidental dropping while loading and unloading ★

Easy access to inlet and outlet fittings for simple hookup

Oversized, airless tires never go flat, so your equipment is ready to work when you are ★

★ **Dual-padded, shock-absorbing feet** absorb engine and pump vibrations, so the machine does not walk



AN AMERICAN STANDARD IN PERFORMANCE

- Honda or Kohler engines
- Direct or belt-driven drive system
- Industrial-grade pumps: AR, CAT, GP, or VIPER
- Working pressure: 2700 - 4200 PSI
- Water flow: 3 - 5.5 GPM

