



## 60V MAX<sup>+</sup> BATTERY SNOW BLOWERS

	POWER SHOVEL <sup>*</sup> 60V	SINGLE-STAGE POWER CLEAR <sup>*</sup> 60V E21	SINGLE-STAGE POWER CLEAR 60V E21	SINGLE-STAGE POWER CLEAR 60V E21 <b>NEW!</b>	TWO-STAGE POWER MAX <sup>*</sup> 60V E24	TWO-STAGE POWER MAX <sup>HA</sup> 60V E26
MODEL	39909	39901	39902	39921	39924	39926
CLEARING WIDTH	12" / 30.5 cm	» 21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	» 24" / 61.0 cm	» 26" / 66.0 cm
CLEARING CAPACITY <sup>**</sup>	Decks, steps, patios and up to 4 parked cars	» Up to 12 parked cars	» Up to 18 parked cars (9 cars per battery)		» Up to 24 parked cars (12 cars per battery) Up to 15 cars more with additional 3rd battery	» Up to 30 parked cars (15 cars per battery) Up to 15 cars more with additional 3rd battery
SNOW CUT DEPTH	6" / 15.2 cm	» 12" / 30.5 cm	12" / 30.5 cm	12" / 30.5 cm	» 20" / 50.8 cm	20" / 50.8 cm
BATTERY	1 x 2.5 ah	» 1 x 7.5 ah	» 2 x 6.0 ah		2 x 6.0 ah	» 2 x 7.5 ah
CHARGE TIME	60 min	180 min	150 min		150 min	180 min
THROWING DISTANCE <sup>**</sup>	Up to 25' / 7.6 m	» Up to 40' / 12.2 m	Up to 40' / 12.2 m		» Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Curve	» Patent Pending Power Edge <sup>™</sup>	Patent Pending Power Edge	Patent Pending Power Edge	» Power Max Anti-Clogging System	Power Max Anti-Clogging System
AUGER DIAMETER	6.5" / 16.5 cm	» 7" / 17.8 cm	7" / 17.8 cm		» 11" / 27.9 cm	11" / 27.9 cm
IMPELLER DIAMETER	-	-	-	-	11" / 27.9 cm	11" / 27.9 cm
AUGER GEARBOX	-	-	-	-	» Hardened Gears; No Shear Pins	Hardened Gears; No Shear Pins
HANDLE	-	Adjustable	Adjustable		Standard	» Heavy-Duty
DEFLECTOR	-	Locking	Locking		Single	Single
CHUTE CONTROL	-	Quick Turn	Quick Turn		» Quick Stick <sup>®</sup>	Quick Stick
CHUTE CONSTRUCTION	-	Sub Zero Curved Chute	Sub Zero Curved Chute		» Steel	Steel
TIRES	-	6 7/8" x 2" 17.5 cm x 5.1 cm	6 7/8" x 2" 17.5 cm x 5.1 cm		» 15" / 38.1 cm	15" / 38.1 cm
HAND WARMERS	-	-	-	-	-	» Standard
LIGHT	-	Panoramic LED	Panoramic LED		LED	LED
WARRANTY <sup>***</sup>	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery		3-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery
BARE TOOL MODEL #	39909T	39901T	39901T	39921T	-	39926T

» Enhanced or step-up feature

<sup>\*</sup>Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load. <sup>\*\*</sup>Throw distance and clearing capacity will vary with conditions. <sup>\*\*\*</sup>See retailer for complete warranty details.  
<sup>\*\*\*</sup>Measured in lbs/Wh. Based on internal testing in a controlled environment versus a leading competitor. Results may vary based on conditions.



## POWER SHOVEL<sup>™</sup>

Easy to maneuver, convenient, cordless  
and complete snow clearing.



# SNOWMASTER®

## SNOW BLOWERS

**Tear through the roughest snow and ice in record time.**

Easy enough for anyone in your household to handle, and still powers through tough, end-of-driveway snow.

SURFACE TYPE



MODERATE SLOPE



CARS / DRIVEWAY



# CORDED ELECTRIC

## SNOW BLOWERS

**Make small snow clearing jobs a snap.**

An ideal choice for sidewalks, steps, decks and small driveways.

STEPS, DECKS AND SIDEWALKS



CARS / DRIVEWAY



	SNOWMASTER®	
	SNOWMASTER 724 QXE	SNOWMASTER 824 QXE
MODEL	36002	36003
CLEARING WIDTH	24" / 61.0 cm	24" / 61.0 cm
SNOW CUT DEPTH	18" / 45.7 cm	18" / 45.7 cm
ENGINE	212cc Toro Premium OHV	» 252cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled Personal Pace	Self-Propelled Personal Pace
STARTING	Electric	Electric
THROWING DISTANCE**	Up to 40' / 12.2 m	» Up to 45' / 13.7 m
AUGER SYSTEM	In-Line Two-Stage	In-Line Two-Stage
AUGER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
IMPELLER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
CHUTE CONTROL	Quick Stick®	Quick Stick
TIRES	11" / 27.9 cm	11" / 27.9 cm
WARRANTY***	3-Year Limited	3-Year Limited

	CORDED ELECTRIC	
	POWER SHOVEL™	1800 POWER CURVE®
MODEL	38361	38381
CLEARING WIDTH	12" / 30.5 cm	» 18" / 45.7 cm
WEIGHT	13 lbs / 5.9 kg	26 lbs / 11.8 kg
THROWING DISTANCE**	Up to 20' / 6.1 m	» Up to 30' / 9.1 m
CHUTE CONTROL	–	» Quick Lever
DEFLECTOR	–	» Locking
DEPTH OF SNOW CUT, ONE PASS	6" / 15.2 cm	» 10" / 25.4 cm
WARRANTY***	2-Year Limited	2-Year Limited

» Enhanced or step-up feature

\*\*Throw distance and clearing capacity will vary with conditions.  
\*\*\*See retailer for complete warranty details.

# FREE EXTRA YEAR ENGINE WARRANTY

on qualifying snow blowers with Toro engines when you purchase a maintenance kit.

Purchase of kit must be at same time as snow blower. Product must be registered to activate warranty extension. Offer applies only to snow blowers with Toro engines. For residential use only, not valid on commercial use. See dealer or [toro.com](http://toro.com) for complete warranty details and maintenance kit compatible with snow blower purchased.



**Maintenance Kit 138-0698**

Single-Stage Models 38474, 38475

**Maintenance Kit 138-0704**

Two-Stage Models 38801, 38802, 38806, 38830, 38840, 38841, 38842

**Maintenance Kit 138-0699**

Single-Stage Models 38741, 38742, 38744, 38752, 38753, 38756, 38757  
Two-Stage Models 36001, 36002, 36003, 37779, 37780, 37781, 37793, 37797, 37798, 37799, 37802, 38805, 38838

# TORO®

490-0870 ©2022 The Toro Company All Rights Reserved.  
Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.





**TORO**

# SNOW BLOWERS

60V BATTERY / POWER CLEAR® SINGLE-STAGE / SNOWMASTER® / POWER MAX® TWO-STAGE / POWER TRX HEAVY-DUTY



†Based on average TraQline dollar share for snow blower market from 2013 – March 2022



## EVERY SINGLE JOB. ONE SINGLE BATTERY.

### POWER CLEAR<sup>®</sup>

Gives you the edge in speed, quality, and convenience.



#### MORE POWER WITH LESS ENERGY

Toro's Power Edge™ Auger is up to 33% more efficient<sup>^^</sup> at throwing the same amount of snow as competitive machines.



#### SNOWDRIFT STRENGTH

Bust through 2-9" of heavy, wet snow, throwing it up to 12 m / 40 feet.



#### CRUSH SNOW TO THE CURB

60V Flex-Force Power System<sup>®</sup> - one powerful battery system, 50+ unbeatable tools.



SURFACE TYPE

MODERATE SLOPE

CARS / DRIVEWAY



### POWER MAX<sup>®</sup>

Three battery ports where the gas tank used to be.



#### POWER UP

All the features you love – Quick Stick<sup>®</sup> chute control, rugged 15" / 38 cm tires, anti-clogging system, and more.



#### GO THREE ROUNDS WITH OLD MAN WINTER

The only snow blower with three battery ports, this machine has all the power you need to get the job done right.



#### ZERO COMPROMISES

Same rugged, heavy-duty steel construction as Toro gas-powered snow blowers, with LED lights, hardened gears and no shear pins to break.



SURFACE TYPE

STEEP SLOPE

CARS / DRIVEWAY



# POWER CLEAR®

## SINGLE-STAGE SNOW BLOWERS

**Tackle small driveway, walkway and patio jobs in no time with Power Clear.**

The perfect blend of power and efficiency to get the job done fast. Plus a compact design for easy storage leaves room in the garage for what matters most.

SURFACE TYPE MODERATE SLOPE CARS / DRIVEWAY



	POWER CLEAR® SINGLE-STAGE					
	POWER CLEAR® 518 ZR/ZE <b>NEW!</b>	POWER CLEAR 721 R/E	COMMERCIAL POWER CLEAR 721 R-C	COMMERCIAL POWER CLEAR 821 R-C	POWER CLEAR 721 QZE	POWER CLEAR 821 QZE
MODEL	38474 / 38475	38752 / 38753	38754	38755	38756	38757
CLEARING WIDTH	18" / 45.7 cm	» 21" / 53.3 cm	» 21" / 53.3 cm w/ Extended Life Paddles	21" / 53.3 cm w/ Extended Life Paddles	21" / 53.3 cm	21" / 53.3 cm
SNOW CUT DEPTH	12" / 30.5 cm	» 12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm
ENGINE	99cc Toro Premium OHV	» 212cc Toro Premium OHV	212cc Toro Premium OHV	» 252cc Toro Premium OHV	212cc Toro Premium OHV	» 252cc Toro Premium OHV
DRIVE SYSTEM	Rotor Propelled	» Self-Propelled Power Propel®	Self-Propelled Power Propel	Self-Propelled Power Propel	Self-Propelled Power Propel	Self-Propelled Power Propel
STARTING	Recoil / Electric	Recoil / Electric	Recoil	Recoil	Electric	Electric
THROWING DISTANCE**	Up to 25' / 7.6 m	» Up to 35' / 10.7 m	Up to 35' / 10.7 m	» Up to 40' / 12.2 m	Up to 35' / 10.7 m	» Up to 40' / 12.2 m
AUGER SYSTEM	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve
HANDLE	Standard	» Ergonomic	» Reinforced & Ergonomic Handle	Reinforced & Ergonomic Handle	Ergonomic	Ergonomic
DEFLECTOR	Locking	Locking	Locking	Locking	Locking	Locking
CHUTE CONTROL	Chute Mounted	Chute Mounted	Chute Mounted	Chute Mounted	» Quick Chute	Quick Chute
TIRES	6" x 1.5" / 15.2 x 3.8 cm	» 7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm
WARRANTY***	2-Year Limited 2-Year Guaranteed to Start		2-Year Limited Residential, 1-Year Limited Commercial 2-Year Guaranteed to Start Residential Only		2-Year Limited 2-Year Guaranteed to Start	

» Enhanced or step-up feature



## Win Winter with America's #1 Snow Blower Brand

Power Clear single-stage snow blowers are loaded with big time power in a compact size. Its light weight and ergonomic handle make this powerhouse so easy to maneuver, you can clear your driveway 50% faster than a traditional two-stage machine.\*

\*Based on CFM measurements from 3rd party testing at 6"/15.2 cm snow depth in a controlled environment. Results may vary based on conditions. \*\* Throw distance and clearing capacity will vary with conditions. \*\*\*See retailer for complete warranty details. †Based on average TraQline dollar share for snow blower market from 2013 – March 2021.

### POWER CLEAR® SINGLE-STAGE

**IDEAL FOR** Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage



#### POWER TO BLAST THROUGH SNOW

Toro's powerful 4-cycle OHV engines give you the power to slice through snow in no time and throw it 40 feet/12 m."



#### GET A MOVE ON

Keep moving to get done faster with self-propel Power Propel® system. The unique scraper pulls you through the snow. Select models.



#### SHREDS SNOW FAST

Efficiently shreds through snow while reducing clogging with the curved rubber paddles and housing of Power Curve® Technology.



# POWER MAX® & POWER MAX® HD

## TWO-STAGE SNOW BLOWERS

Take National Weather Service major winter storm warnings, chew 'em up and spit 'em out. Power Max and Power Max HD snow blowers are unbeatable in any storm.

Take control of big snow jobs this winter with Power Max and Power Max HD. These two-stage snow blowers clear wide paths with speed and ease.

SURFACE TYPE MODERATE SLOPE CARS / DRIVEWAY



### Power Clear 821 QZE

252cc Toro Premium OHV Engine  
Self-Propelled Power Propel®  
21" / 53 cm Clearing Width



### Power Max 826 OHAE

Hand Warmers Standard  
Heavy Duty Handle Construction  
26" / 66 cm Clearing Width

### POWER MAX® COMPACT TWO-STAGE

	POWER MAX 824 OE	POWER MAX 826 OAE	POWER MAX 826 OHAE
MODEL	37798	37799	37802/37805
CLEARING WIDTH	24" / 61.0 cm	» 26" / 66.0 cm	26" / 66.0 cm
SNOW CUT DEPTH	20" / 50.8 cm	20" / 50.8 cm	20" / 50.8 cm
ENGINE	252cc Toro Premium OHV	252cc Toro Premium OHV	252cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled	» Triggerless Steering	Triggerless Steering
STARTING	Electric	Electric	Electric
THROWING DISTANCE**	Up to 45' / 13.7 m	Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
IMPELLER DIAMETER	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
AUGER GEARBOX	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins
HANDLE	Standard	Standard	» Heavy-Duty
DEFLECTOR	Single	Single	Single
CHUTE CONTROL	Quick Stick®	Quick Stick	Quick Stick
TIRES	15" / 38.1 cm	15" / 38.1 cm	15" / 38.1 cm
HAND WARMERS	-	-	» ✓
LED LIGHT	-	» ✓	✓
WARRANTY***	3-Year Limited	3-Year Limited	3-Year Limited



### Power Max H

Commercial-Grade  
All-Steel Construction  
16" / 40.6 cm Tires



### Power Max H

30" / 76 cm Clearing Width  
302cc Toro Premium OHV Engine  
Double Deflector  
Hand Warmers Standard

### POWER MAX® COMPACT TWO-STAGE

**IDEAL FOR** Larger driveways that can hold 6-14 parked cars and 6-20" / 15-50 cm of snow at a time



#### POWER UP

Optimal performance and years of dependable use with the 252cc Toro premium 4-cycle OHV engine.



#### TRIGGERLESS STEERING

No triggers to pull or levers to break! Turn the machine and the wheel intelligently disengages to assist you through for effortless turns.



#### CHUTE CONTROL

Quickly change the chute and deflector direction with a single, smooth motion thanks to the Quick Stick® chute control.



## HD 828 OAE

Auger Gear Box  
Position  
S



## HD 1030 OHAE

ing Width  
um OHV Engine

Standard

POWER MAX® HEAVY-DUTY TWO-STAGE					
	POWER MAX HD 828 OAE	POWER MAX HD 1030 OHAE	POWER MAX HD 1232 OHXE	COMMERCIAL POWER MAX HD 1428 OHXE	COMMERCIAL POWER MAX HD 1432 OHXE
MODEL	38838	38830	38842	38843	38844
CLEARING WIDTH	28" / 71.1 cm	» 30" / 76.2 cm	» 32" / 81.3 cm	28" / 71.1 cm	» 32" / 81.3 cm
SNOW CUT DEPTH	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm
ENGINE	252cc Toro Premium OHV	» 302cc Toro Premium OHV	» 375cc Toro Premium OHV	» 420cc Toro Premium OHV	420cc Toro Premium OHV
DRIVE SYSTEM	Triggerless Steering	Triggerless Steering	» Power Steering	Power Steering	Power Steering
STARTING	Electric	Electric	Electric	Electric	Electric
THROWING DISTANCE**	Up to 45' / 13.7 m	» Up to 49' / 14.9 m	» Up to 57' / 17.4 m	» Up to 60'+ / 18.3 m+	Up to 60'+ / 18.3 m+
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
IMPELLER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
AUGER GEARBOX	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
HANDLE	Heavy-Duty	Heavy-Duty	Heavy-Duty	» Commercial	Commercial
DEFLECTOR	Single	Double	Double	Double	Double
CHUTE CONTROL	Quick Stick®	Quick Stick	Quick Stick	Quick Stick	Quick Stick
TIRES	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm
HAND WARMERS	-	» ✓	✓	✓	✓
LED LIGHT	✓	✓	✓	✓	✓
WARRANTY***	3-Year Limited	3-Year Limited	3-Year Limited	» 5-Year Limited / 1-Year Commercial	5-Year Limited / 1-Year Commercial

### POWER MAX® HEAVY-DUTY TWO-STAGE

**IDEAL FOR** Larger driveways that can hold up to 20 parked cars and 9-21" / 23-53 cm of snow at a time



**NO SHEAR PINS!**  
No need to replace shear pins in the cold with Toro's hardened gears and commercial-grade auger gearbox.



**PRECISION MOVES**  
Smooth, tight turns are a snap with power steering.



**DOUBLE CHUTE DEFLECTOR**  
Place the snow with greater precision, such as right next to your fence line, or throw the distance with a double deflector.

# POWER TRX HEAVY-DUTY

## TRACKED TWO-STAGE SNOW BLOWERS

**When a monster storm is roaring in, you need a beast of a snow blower to roar back.**

Winter gets out of your way as you throw snow 60+ feet/18+ m. It all starts with a single-button, electric start. Our biggest engine for your snowiest jobs on long driveways, up slopes and through the teeth of winter.

**SURFACE TYPE**   **MODERATE SLOPE**   **CARS / DRIVEWAY**



### POWER TRX HEAVY-DUTY TWO-STAGE

	COMMERCIAL POWER TRX HD 1428 OHXE	COMMERCIAL POWER TRX HD 1432 OHXE
<b>MODEL</b>	<b>38890</b>	<b>38891</b>
<b>CLEARING WIDTH</b>	28" / 71.1 cm	» 32" / 81.3 cm
<b>SNOW CUT DEPTH</b>	21" / 53.3 cm	21" / 53.3 cm
<b>ENGINE</b>	420cc Toro Premium OHV	420cc Toro Premium OHV
<b>DRIVE SYSTEM</b>	» Self-Propelled Hydrostatic Transmission and Power Steering	Self-Propelled Hydrostatic Transmission and Power Steering
<b>STARTING</b>	Electric	Electric
<b>THROWING DISTANCE**</b>	Up to 60' + / 18.3 m+	Up to 60' + / 18.3 m+
<b>AUGER SYSTEM</b>	Power Max Anti-Clogging	Power Max Anti-Clogging
<b>AUGER DIAMETER</b>	14" / 35.6 cm	14" / 35.6 cm
<b>IMPELLER DIAMETER</b>	14" / 35.6 cm	14" / 35.6 cm
<b>AUGER GEARBOX</b>	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
<b>HANDLE</b>	Commercial	Commercial
<b>DEFLECTOR</b>	Double	Double
<b>CHUTE CONTROL</b>	Quick Stick®	Quick Stick
<b>TIRES</b>	Tracked	Tracked
<b>HAND WARMERS</b>	✓	✓
<b>LED LIGHT</b>	✓	✓
<b>WARRANTY***</b>	5-Year Limited, 1-Year Commercial	5-Year Limited, 1-Year Commercial

### Power TRX HD 1428 OHXE / 1432 OHXE

Self-Propelled Hydrostatic Transmission  
Tracked Driven for Ultimate Performance  
Commercial Grade All-Steel Construction  
420cc Toro Premium OHV Engine



#### POWER TRX HEAVY-DUTY TWO-STAGE

**IDEAL FOR** Extra-large driveways, heavy accumulation and making quick work of 10"+ / 25.4 cm+ of snow



#### UNMATCHED STABILITY

Track driven allows you to handle the steepest slopes or dig into hard packed snow.



#### SMOOTH HANDLING AND LOW MAINTENANCE

Hydrostatic transmission allows for self-propelled operation with infinitely variable speed.



#### ADJUST WITH EASE

Push the Quick-Adjust auger housing lever to adjust your housing up for climbing and transport, flat to blow snow off a driveway or down to dig deep snow.